



HELUFAST

The plain plastic cable gland.

Application

- Plant and machine construction
- Automation technology
- Installation technology
- Control cabinet construction

Material

PA 6, V2 acc. to UL 94
Moulded seal: NBR

- halogen-free

Properties

- Quick and simple assembly
- Can be mounted close together
- No locknut required
- Optimum strain relief
- Large clamping areas
- Infinitely applicable for different wall thicknesses


Note

Wall thickness 2,5-4,0 mm.
Color of clamping ring: green

Technical data

Protection class: IP 68 - 5 bar

Temperature range: -20°C up to +100°C



Dimensions

G Size
w Wall thickness
SW Spanner size

wall thickness range from 1mm to 2,5mm

Part no. light grey RAL 7035	Part no. dark grey RAL 7001	Part no. black RAL 9005	Size Metr.	Cable Ø from / to mm	Spanner size mm	Unit	Net EUR/100 items at a purchase of		
							up to 100	101 - 500	501 - 1000
903120	903140	903130	M12	4,0 - 6,5	15	50	o. r.	o. r.	o. r.
903121	903141	903131	M16	6,0 - 9,5	20	50	o. r.	o. r.	o. r.
903122	903142	903132	M20	7,0 - 12,0	24	50	o. r.	o. r.	o. r.
903123	903143	903133	M25	11,0 - 16,0	28	25	o. r.	o. r.	o. r.
903124	903144	903134	M32	14,0 - 21,0	36	25	o. r.	o. r.	o. r.

wall thickness range from 2,5mm to 4mm

Part no. light grey RAL 7035	Part no. dark grey RAL 7001	Part no. black RAL 9005	Size Metr.	Cable Ø from / to mm	Spanner size mm	Unit	Net EUR/100 items at a purchase of		
							up to 100	101 - 500	501 - 1000
903125	903145	903135	M12	4,0 - 6,5	15	50	o. r.	o. r.	o. r.
903126	903146	903136	M16	6,0 - 9,5	20	50	o. r.	o. r.	o. r.
903127	903147	903137	M20	7,0 - 12,0	24	50	o. r.	o. r.	o. r.
903128	903148	903138	M25	11,0 - 16,0	28	25	o. r.	o. r.	o. r.
903129	903149	903139	M32	14,0 - 21,0	36	25	o. r.	o. r.	o. r.

wall thickness range from 1mm to 4mm

Part no. light grey RAL 7035	Part no. dark grey RAL 7001	Part no. black RAL 9005	Size Metr.	Cable Ø from / to mm	Spanner size mm	Unit	Net EUR/100 items at a purchase of		
							up to 100	101 - 500	501 - 1000
900015	904278	904280	M40	19,0 - 27,5	46	10	o. r.	o. r.	o. r.
900016	904279	904281	M50	26,0 - 34,0	55	10	o. r.	o. r.	o. r.

Dimensions and specifications may be changed without prior notice.

o. r. = on request

HELUFAST circlip pliers



HELUFAST circlip pliers

Pliers for threadless plastic cable gland.

Combined with the correct insert, the pliers can be used for all HELUFAST cable glands.

The metal plier insert is simple to change by hand.

pliers					
Part no.	Size	Unit	Net EUR/item at a purchase of		
			1	2 - 5	6 - 10
980000	-	1	o. r.	o. r.	o. r.

Dimensions and specifications may be changed without prior notice.

o. r. = on request

HELUFAST circlip pliers

storage battery-hydraulic systems



HELUFAST circlip pliers, storage battery-hydraulic systems

Electro-hydraulic circlip pliers for threadless plastic cable gland.

Combined with the correct insert, the pliers can be used for all HELUFAST cable glands.

With rechargeable NIMH battery adjustable compression and automatic return.

The metal plier insert is simple to change by hand.



pliers						
Part no.	Size	Unit	Net EUR/item at a purchase of			
			1	2 - 5	6 - 10	
905332	-	1	o. r.	o. r.	o. r.	

Dimensions and specifications may be changed without prior notice. o. r. = on request

HELUFAST[®] inserts



HELUFAST

Inserts for the new, threadless plastic cable gland.
Combined with the correct insert, the pliers can be used for all HELUFAST glands.
The metal plier insert is simple to change by hand.

inserts

Part no.	Size	Unit	Net EUR/item at a purchase of		
			1	2 - 5	6 - 10
980010	M12 x 1,5	1	o. r.	o. r.	o. r.
980011	M16 x 1,5	1	o. r.	o. r.	o. r.
980012	M20 x 1,5	1	o. r.	o. r.	o. r.
980013	M25 x 1,5	1	o. r.	o. r.	o. r.
980014	M32 x 1,5	1	o. r.	o. r.	o. r.
980015	M40 x 1,5	1	o. r.	o. r.	o. r.
980016	M50 x 1,5	1	o. r.	o. r.	o. r.

Dimensions and specifications may be changed without prior notice.

o. r. = on request